

(Control; a-tubulin)

FIG.3		WT			¥	
		control	dry 2 h	dry 10 h	cold 2 h	cold 10 h 35S:DREB1 control
α-tubulin	Northern					
FL3-5A3 (Putative cold acclimation protein)	Northern					
	microarray	1	6.2		2.3	3.4
FL3-27 (Cowpea cysteine proteinase inhibitor homolog)	Northern					*****
	microarray	1	2.2	A-residence Market	n.d.	2.2
FL5-2122 (DC 1.2 homolog)	Northern					
	microarray	1	2.6		2.9	2.1
FL5-94 (Enolase)	Northern					
	microarray	1	2.0		1.8	2.3
FL5-77 (Peroxiredoxin TPX1)	Northern					
	microarray	1	2.2	A. A	1.9	3.0
erd4	Northern			4		
	microarray	1	2.6		2.2	2.5
DREB1A	Northern		(Ext)	5		
	microarray	1	n.c	1.	6.3	5.8




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13





FIG.14



14/39

FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG.27





FIG.28






FIG.30




FIG.31




FIG.32




FIG.33




FIG.34




FIG.35




FIG.36




FIG.37




FIG.38




FIG.39

